# **SAFETY DATA SHEET**

Print Date: 5/23/2019

## **1. IDENTIFICATION**

| Product Description | Boise State Broncos Blue |
|---------------------|--------------------------|
| Trade Name          | Polyester                |
| Product #           | COL1784339               |
| Supplier            | Columbia Coatings        |
|                     | 1173 Industrial Park Rd  |
|                     | Columbia, TN 38401       |
| Contact             | (931) 388-7730 Phone     |
|                     | (931) 388-5573 Fax       |

# 2. HAZARD IDENTIFICATION

Product is a mixture of hazardous and non-hazardous ingredients compounded in a polymer.

# \*Information pertaining to particular danger for man and environment.

-Harmful by inhalation and/or if swallowed.



# \*Classification System

-Classification was made according to the latest editions of international substances lists, and expanded upon from company literature data.

| NFPA Ratings | Scale 0-4 |
|--------------|-----------|
| Health       | 2         |
| Fire         | 1         |
| Reactivity   | 1         |

| HMIS Ratings | Scale 0-4 |
|--------------|-----------|
| Health       | 1         |
| Fire         | 1         |
| Reactivity   | 1         |

## 3. Composition/information on ingredients

| Hazardous        | Case#      | <b>TLV-ACGIH</b>        | PEL-OSHA               | CONCENTRATE  |
|------------------|------------|-------------------------|------------------------|--------------|
| Components       |            |                         |                        | %            |
| Barium Sulfate   | 7727-43-7  | 10.00 mg/m <sup>3</sup> | 5.00 mg/m <sup>3</sup> | 15 - 40      |
| Titanium Dioxide | 13463-67-7 | 10.00 mg/m <sup>3</sup> | $10.00 \text{ mg/m}^3$ | 1 – 5        |
| Carbon Black     | 1333-86-4  | 3.5 mg/m <sup>3</sup>   | 3.5 mg/m <sup>3</sup>  | < 0.5        |
| Nuisance Dust    | n/a        | 10.00 mg/m <sup>3</sup> | n/a                    | As generated |

# 4. FIRST AID MEASURES

#### \*After Inhalation

-Supply fresh air and seek medical attention.

## \*After Skin Contact

-Generally the product does not irritate the skin but water and soap can be used for rinsing.

## \*After Eye Contact

-Rinse opened eye for several minutes under clean running water.

# \*After Swallowing

-Rinse mouth out and then drink water. If symptoms persist, seek medical attention.

# 5. FIRE FIGHTING MEASURES

## \*Suitable Extinguishing Agents

-Use CO2, extinguishing powder or water spray. Fight larger fires with water spray, alcohol, or resistant foam.

## \*Firefighting Instructions

-Use fully protective equipment with self-contained breathing apparatus.

# \*Explosion

-Avoid generating dust; fine dust dispersed in the air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

# \*Personal Protective Equipment

-Wear self-contained respiratory device.

#### 6. ACCIDENTAL RELEASE MEASURES

#### \*Personal Related Safety Precautions

-Ensure adequate ventilation

# \*Measure for Environmental Protection

-Do not allow to enter sewer/surface or ground water.

# \*Measure for Cleaning and Collecting

-Pick up mechanically. Dispose contaminated material as waste according to item 13.

#### 7. HANDLING AND STORAGE

#### \*Information For Safe Handling

-Prevent formation of dust and ensure good ventilation/exhaustion at the workplace.

\*Information About Protection Against Explosions and Fires

-Dust can combine with air in suspended form when applying and can be an explosive mixture.

# \*Requirements To Be Met By Storerooms and Receptacles

-Store in a cool, dry place in a tightly closed container. Storage temperatures not to exceed 25°C/77°F to ensure product quality. Shelf life of the product at that temperature is up to 2 years, after that, the performance of the products will deteriorate. Protect from heat and direct sunlight. Protect from humidity and water.

#### \*Information About Storage In Once Common Storage Facility. -Not Required

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

# \*Additional Information About Design of Technical Systems

-No Data: See item 7.

# \*Components with Limited Values That May Require Monitoring at the Workplace. -See product ingredients.

# \*Personal Protective Equipment

-Keep away from foods, beverages, animals and feed. Wash hands before breaks and at the end of work. The usual precautionary measures for handling chemicals should be followed.

| Protective Equipment for<br>Inhalation | <i>It is recommended to use MSHA approved respirator when handling powders. Powders are considered nuisance dust.</i>  |
|--|--|
| Hygienic Measures for Skin<br>Contact  | Avoid skin contact; use long sleeve shirts and impermeable gloves at<br>a minimum when handling powders. TYVEK full body suits or<br>equivalent are recommended for heavy exposure. Be sure to launder<br>contaminated clothing before reuse. Wash skin with mild soap and<br>water if contact occurs. If symptoms continue seek medical<br>attention. |
| Eye Protection                         | Require the use of safety goggles with side shields. Powder particles<br>can be abrasive on the cornea. In case of eye contact, flush with<br>plenty of fresh water. If irritation develops or persists, seek medical<br>attention.  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical                     |   |  |
|------------------------------|---|--|
| Form:                        | Solid, finely divided powder  |  |
| Color:                       | According to product specs  |  |
| Odor:                        | Nearly odorless   |  |
| Chemical                     |   |  |
| Specific Gravity:            | Approx. 1.54 g/cm <sup>3</sup>  |  |
| Coverage:                    | 125 sq. ft / lb.  |  |
| Flash Point:                 | > 300°C (572°F)   |  |
| Hardness:                    | H – 2H (ASTM D3363)   |  |
| Danger of Explosion:         | Dust at sufficient concentrations can form explosive mixtures with air. |  |
| Density:                     | <b>1.2 – 1.9 g/cm<sup>3</sup></b>                                       |  |
| Solubility with Water:       | Insoluble   |  |
| Solvent Content:             | n/a   |  |
| Salt Spray:                  | 1000 hrs. less than 1/16" in creepage over B-1000 panels                |  |
| Film Thickness:              | 2.5 – 3.5 mils  |  |
| Humidity:                    | 1000 hrs. no blistering   |  |
| Flexibility:                 | 3/16" (ASTM D522)   |  |
| Impact:                      | 160 in-lb. direct & reverse   |  |
| <b>Cross Hatch Adhesion:</b> | 5B (ASTM D3359)   |  |

# **10. STABILITY AND REACTIVITY**

#### \*Product Stability

-No decomposition if used according to specifications.

## \*Thermal Decomposition/Conditions To Be Avoided

-Decomposition at high temperatures may yield Carbon Dioxide, Carbon Monoxide, Nitrous Oxide and other hazardous gases.

# \*Dangerous Reactions

-N/A

## \*Dangerous Products of Decomposition

-N/A

## **11. TOXICOLOGICAL INFORMATION**

## \*Primary Irritant Effect

-On the skin – Powder can be irritation through rubbing action, also has a drying effect. -In the eye – Powder can be irritating through rubbing, can cause abrasion on the cornea.

# \*Sensitization

-Sensitization possible through skin contact.

## \*Additional Toxicological Information

-The product shows the following danger according to internally approved calculation methods for preparations: Harmful!

## **12. ECOLOGICAL INFORMATION**

## \*General Notes

-Water hazard class 1 (Self-Assessment): Slightly hazardous for water.

## **13. DISPOSAL INFORMATION**

# \*Packaging

-Disposal must be made according to official regulations.

## **14. TRANSPORTATION INFORMATION**

### \*DOT Regulations

-Non-Hazardous / Non-Regulated

# \*Maritime Transportation IMDG

-Non-Polluting

# **15. REGULATIONS**

## \*Product Related Hazard Information

-The product has been classified and marked in accordance with directives on hazardous materials.

## \*Hazard Symbols

-Harmful

\*Hazard-Determining Components of Labeling

-N/A

# \*Risk Phrases

-Harmful by inhalation and if swallowed.

-May cause sensitization by skin contact.

# \*Safety Phrases

-Keep out of reach of children.

-Keep container dry.

-Keep container in a well-ventilated area.

-Keep away from food, drink and animals/feed.

-Do not breath gas/fumes/vapors/spray.

-If swallowed, seek medical advice immediately and show this label.

## **16. OTHER INFORMATION**

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS DOES NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.