# **SAFETY DATA SHEET**

Print Date: 5/20/2019 Revision Date: 5/20/2019

## 1. IDENTIFICATION

| Product Description | Maryland Terrapins Yellow |
|---------------------|---------------------------|
|                     |                           |
| Trade Name          | Polyester                 |
| Product #           | COL178822                 |
| Supplier            | Columbia Coatings         |
|                     | 1173 Industrial Park Rd   |
|                     | Columbia, TN 38401        |
| Contact             | (931) 388-7730 Phone      |
|                     | (931) 388-5573 Fax        |

## 2. HAZARD IDENTIFICATION

Product is a mixture of hazardous and non-hazardous ingredients compounded in a polymer.

| *Information pertaining to particular       |  |
|---|--|
| danger for man and environment.             |  |
| -Harmful by inhalation and/or if swallowed. |  |



# \*Classification System

-Classification was made according to the latest editions of international substances lists, and expanded upon from company literature data.

| NFPA Ratings | Scale 0-4 |
|--------------|-----------|
| Health       | 2         |
| Fire         | 1         |
| Reactivity   | 1         |

| <b>HMIS Ratings</b> | Scale 0-4 |
|---------------------|-----------|
| Health              | 1         |
| Fire                | 1         |
| Reactivity          | 1         |

3. Composition/information on ingredients

| Hazardous  | Case#     | PEL-OSHA            | TLV-ACGIH              | CONCENTRATE |
|--|-----------|---------------------|------------------------|-------------|
| Components   |           |                     |                        | %           |
| Barium Sulfate, Natural  | 7727-43-7 | 5 mg/m <sup>3</sup> | 10 mg/m <sup>3</sup>   | 10 - 25     |
| Antimony Nickel Titanium<br>Oxide Yellow                                 | 8007-18-9 | 5 mg/m <sup>3</sup> | .2 mg/m <sup>3</sup>   | 10 - 25     |
| 1,3,5-tris(oxiranylmethyl)-<br>1,3,5-triazine-<br>2,4,6(1H,3H,5H)-trione | 2451-62-9 | n/a                 | 0.05 mg/m <sup>3</sup> | 2.5 - 10    |
| Kaolin   | 1332-58-7 | 5 mg/m <sup>3</sup> | 2mg/m <sup>3</sup>     | < 2.5%      |

#### 4. FIRST AID MEASURES

#### \*After Inhalation

-Supply fresh air and seek medical attention.

#### \*After Skin Contact

-Generally the product does not irritate the skin but water and soap can be used for rinsing.

### \*After Eye Contact

-Rinse opened eye for several minutes under clean running water.

## \*After Swallowing

-Rinse mouth out and then drink water. If symptoms persist, seek medical attention.

#### 5. FIRE FIGHTING MEASURES

# \*Suitable Extinguishing Agents

-Use CO2, extinguishing powder or water spray. Fight larger fires with water spray, alcohol, or resistant foam.

## \*Firefighting Instructions

-Use fully protective equipment with self-contained breathing apparatus.

#### \*Explosion

-Avoid generating dust; fine dust dispersed in the air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

#### \*Personal Protective Equipment

-Wear self-contained respiratory device.

#### 6. ACCIDENTAL RELEASE MEASURES

## \*Personal Related Safety Precautions

-Ensure adequate ventilation

#### \*Measure for Environmental Protection

-Do not allow to enter sewer/surface or ground water.

#### \*Measure for Cleaning and Collecting

-Pick up mechanically. Dispose contaminated material as waste according to item 13.

#### 7. HANDLING AND STORAGE

#### \*Information For Safe Handling

-Prevent formation of dust and ensure good ventilation/exhaustion at the workplace.

# \*Information About Protection Against Explosions and Fires

-Dust can combine with air in suspended form when applying and can be an explosive mixture.

# \*Requirements To Be Met By Storerooms and Receptacles

-Store in a cool, dry place in a tightly closed container. Storage temperatures not to exceed 25°C/77°F to ensure product quality. Shelf life of the product at that temperature is up to 2 years, after that, the performance of the products will deteriorate. Protect from heat and direct sunlight. Protect from humidity and water.

# \*Information About Storage In Once Common Storage Facility.

-Not Required

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

| O. EAPUSURE CUNTRULS AN  | D FERSONAL FROTECTION   |  |
|--|---|--|
| *Additional Information About Design of Technical Systems  |   |  |
| -No Data: See item 7.  |   |  |
| *Components with Limited Values That May Require Monitoring at the Workplace.  |   |  |
| -See product ingredients.  |   |  |
| *Personal Protective Equipment   |   |  |
| -Keep away from foods, beverages, animals and feed. Wash hands before breaks and at the end of work. The usual precautionary measures for handling chemicals should be followed. |   |  |
| <b>Protective Equipment for</b>  | It is recommended to use MSHA approved respirator when handling         |  |
| Inhalation   | powders. Powders are considered nuisance dust.                          |  |
| Hygienic Measures for Skin   | Avoid skin contact; use long sleeve shirts and impermeable gloves at    |  |
| Contact  | a minimum when handling powders. TYVEK full body suits or               |  |
|  | equivalent are recommended for heavy exposure. Be sure to launder       |  |
|  | contaminated clothing before reuse. Wash skin with mild soap and        |  |
|  | water if contact occurs. If symptoms continue seek medical              |  |
|  | attention.  |  |
| Eye Protection   | Require the use of safety goggles with side shields. Powder particles   |  |
|  | can be abrasive on the cornea. In case of eye contact, flush with       |  |
|  | plenty of fresh water. If irritation develops or persists, seek medical |  |
|  | attention.  |  |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical                     |   |  |
|------------------------------|---|--|
| Form:                        | Solid, finely divided powder  |  |
| Color:                       | According to product specs  |  |
| Odor:                        | Nearly odorless   |  |
| Chemical                     |   |  |
| Specific Gravity:            | Approx. 1.54 g/cm <sup>3</sup>  |  |
| Coverage:                    | 125 sq. ft / lb.  |  |
| Flash Point:                 | > 300°C (572°F)   |  |
| Hardness:                    | H - 2H (ASTM D3363)   |  |
| Danger of Explosion:         | Dust at sufficient concentrations can form explosive mixtures with air. |  |
| Density:                     | 1.2 - 1.9 g/cm <sup>3</sup>   |  |
| Solubility with Water:       | Insoluble   |  |
| Solvent Content:             | n/a   |  |
| Salt Spray:                  | 1000 hrs. less than 1/16" in creepage over B-1000 panels                |  |
| Film Thickness:              | 2.5 – 3.5 mils  |  |
| Humidity:                    | 1000 hrs. no blistering   |  |
| Flexibility:                 | 3/16" (ASTM D522)   |  |
| Impact:                      | 160 in/lb. direct & reverse   |  |
| <b>Cross Hatch Adhesion:</b> | 5B (ASTM D3359)   |  |

#### 10. STABILITY AND REACTIVITY

#### \*Product Stability

-No decomposition if used according to specifications.

# \*Thermal Decomposition/Conditions To Be Avoided

-Decomposition at high temperatures may yield Carbon Dioxide, Carbon Monoxide, Nitrous Oxide and other hazardous gases.

# \*Dangerous Reactions

-N/A

# \*Dangerous Products of Decomposition

-N/A

#### 11. TOXICOLOGICAL INFORMATION

#### \*Primary Irritant Effect

- -On the skin Powder can be irritation through rubbing action, also has a drying effect.
- -In the eye Powder can be irritating through rubbing, can cause abrasion on the cornea.

## \*Sensitization

-Sensitization possible through skin contact.

#### \*Additional Toxicological Information

-The product shows the following danger according to internally approved calculation methods for preparations: Harmful!

#### 12. ECOLOGICAL INFORMATION

#### \*General Notes

-Water hazard class 1 (Self-Assessment): Slightly hazardous for water.

#### 13. DISPOSAL INFORMATION

#### \*Packaging

-Disposal must be made according to official regulations.

#### 14. TRANSPORTATION INFORMATION

# \*DOT Regulations

-Non-Hazardous / Non-Regulated

# \*Maritime Transportation IMDG

-Non-Polluting

#### 15. REGULATIONS

## \*Product Related Hazard Information

-The product has been classified and marked in accordance with directives on hazardous materials.

## \*Hazard Symbols

-Harmful

# \*Hazard-Determining Components of Labeling

-N/A

#### \*Risk Phrases

- -Harmful by inhalation and if swallowed.
- -May cause sensitization by skin contact.

## \*Safety Phrases

- -Keep out of reach of children.
- -Keep container dry.
- -Keep container in a well-ventilated area.
- -Keep away from food, drink and animals/feed.
- -Do not breath gas/fumes/vapors/spray.
- -If swallowed, seek medical advice immediately and show this label.

#### 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS DOES NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.