

POWER PRO CHEMICAL STRIPPER

PRODUCT DESCRIPTION

Power Pro Chemical Stripper is specially designed to remove Powder Coating from ferrous and non-ferrous metals and silicon at room temperatures without the dangers of harmful acids. It is not for use on Magnesium.

PRODUCT USE

Power Pro Chemical Stripper is formulated for an immersion or dip application. Stripping times may vary from project to project depending on the type and thickness of the coating along with other environmental factors. After stripping, project should be rinsed with water to neutralize the chemical.

PRODUCT DISPOSAL

Municipal and state governments often regulate disposal. Please dispose of all chemicals within guidelines set forth by these agencies. For more information, contact your local landfill or trash collector and reference the attached SDS.

PRODUCT DATA

STATE: Liquid

APPEARANCE: Thin, clear liquid

COLOR: Colorless to light straw

FLASH POINT: 197.6°F

BOILING POINT: 421°F

PRODUCT SAFETY

Always refer to the SDS for comprehensive first aid and safety information before using any product.

PRODUCT RECOMMENDATIONS

- At times, it is necessary to strain excess coating residue from the chemical. This improves the effectiveness of the chemical and lengthens its life expectancy.
- This chemical is most effective when heated to **165-175°F**
- This chemical must be kept above **20°F**. Failure to do so may permanently weaken its effectiveness.
- It is recommended to keep the stripping tank or drum covered while stripping parts.
- Softer metals, like aluminum, should not remain in the stripper for excessive amounts of time.

Columbia Coatings
1173 Industrial Park Rd.
Columbia, TN 38401
931.388.7730
sales@columbiacoatings.com

